


8 . . . . . 7 . . . . . 6 . . . . . 5 . . . . . 4 . . . . . 3 . . . . . 2 . . . . . 1 . . . . .



**NOTES:**

**NOTE:**

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 1.9 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9112 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.055" UNLESS OTHERWISE NOTED

PART NUMBER	DESCRIPTION
D3823-1KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3823-1KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)


C	ADD STEEL GRAY COLOUR OPTION, ADD IVORY P/N'S D3823-1/-2/-3(KIV) AND ADD STEEL GRAY P/N'S D3823-1/-2/-3(KGY) (ZN A5-1, A5-2, A5-3)	PH	09.05.05
B	ADD JOGGLE TO D3823-1/-2/-3 FOR BETTER FIT WITH D3824-1/-3 HAT BIN (ZN C5-1, C5-2, C8-3); 0.40 WAS 0.18 (ZN B7-1, D7-2); 0.45 WAS 0.29 (ZN B8-3)	PH	09.02.09
A	NEW ISSUE	PH	08.09.26
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>1001</i>	<b>DART AEROSPACE LTD</b>	
DRAWN	<i>PH</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i> </i>	DRAWING NO.	REV. C
MFG. APPR.	<i>PD</i>	D3823	SHEET 1 OF 3
APPROVED	<i> </i>	TITLE	SCALE
DE APPR.	<i> </i>	REAR OVERHEAD	NTS
DATE	09.05.05	<b>COPYRIGHT © 2008 BY DART AEROSPACE LTD</b> THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

**COPYRIGHT © 2008 BY DART AEROSPACE LTD**  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

8

D

0



**DETAIL D**  
SCALE 5X

## **SECTION C-C**

## DETAIL D B8-2

3

**NOTES:**

NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N (SEE TABLE) USING VIBRATING STYLUS
- 7) WEIGHT: 1.9 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9113 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.055" UNLESS OTHERWISE NOTED

## **D3823-2 REAR OVERHEAD, RH**

PART NUMBER	DESCRIPTION
D3823-2KIV	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, IVORY #62015 (MKYD6185S.080-P3-62015)
D3823-2KGY	KYDEX 6185, 0.080 THICK, P3-VELOUR MATTE, STEEL GRAY #52068 (MKYD6185S.080-P3-52068)

DESIGN	<i>AB</i>	<b>DART AEROSPACE LTD</b>	
DRAWN	<i>AB</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>AB</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>AB</i>	D3823	SHEET 2 OF 3
APPROVED	<i>AB</i>	TITLE	SCALE
DE APPR.	<i>AB</i>	REAR OVERHEAD	NTS
DATE	09.05.05	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

**COPYRIGHT © 2008 BY DART AEROSPACE LTD**  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

